

**From:** [Carr, Brian](#)  
**To:** [cbcooke@gmail.com](mailto:cbcooke@gmail.com)  
**Cc:** [Singerman, Joel](#)  
**Subject:** Fw: Gowanus CSO Order - Draft TM Modeling and Tank Sizing  
**Date:** Tuesday, July 07, 2015 9:13:21 AM  
**Attachments:** [Tank Volume comments .docx](#)

---

Brad,

Thanks for your inquiry.

This is the first of 2 emails I am sending you .

To some extent, the reports for which these comments were made have been superceded by the City's most recent reports, dated June 30th, which EPA is in the process of reviewing now.

I expect those reports to be available on the Gowanus CAG webpage in the near future, so please check there:

<http://gowanuscag.org/>

Thanks, and let me know if you have any other questions.

Brian E. Carr

Assistant Regional Counsel

United States Environmental Protection Agency

Region 2

Office of Regional Counsel

290 Broadway, 17th Floor

New York, NY 10007

212-637-3170 phone

212-637-3104 fax

[carr.brian@epa.gov](mailto:carr.brian@epa.gov)

---

**From:** Tsiamis, Christos  
**Sent:** Thursday, May 7, 2015 5:34 PM  
**To:** Clarke, Kevin  
**Cc:** King, Christopher; Rousakis, John; Licata, Angela; Robert W. Schick, P.E ([rxschick@gw.dec.state.ny.us](mailto:rxschick@gw.dec.state.ny.us)); Gary Kline ([gekline@gw.dec.state.ny.us](mailto:gekline@gw.dec.state.ny.us)); Degueldre, Lindsay; Carr, Brian; Moriarty, Kenneth  
**Subject:** RE: Gowanus CSO Order - Draft TM Modeling and Tank Sizing

Kevin,

Attached please find EPA's comments on the Draft TM Modeling and Tank Sizing Report for the retention tanks called for in EPA's Record of Decision.

Please let me know if you have any questions.

Sincerely,

Christos Tsiamis  
Senior Project Manager  
New York Remediation Branch  
USEPA  
290 Broadway, 20th Floor  
New York, NY 10007

(212)637-4257

-----Original Message-----

From: Clarke, Kevin [<mailto:kclarke@dep.nyc.gov>]

Sent: Monday, March 30, 2015 3:36 PM

To: Tsiamis, Christos

Cc: King, Christopher; Rousakis, John; Licata, Angela; Robert W. Schick, P.E (rxschick@gw.dec.state.ny.us); Gary Kline (gekline@gw.dec.state.ny.us); Degueldre, Lindsay; Carr, Brian; Moriarty, Kenneth

Subject: Gowanus CSO Order - Draft TM Modeling and Tank Sizing

Christos:

Attached please find a draft Tech Memo on the Gowanus Canal CSO Modeling and Tank Sizing as discussed at our December 17th, 2014 meeting. Please let me know if you have any questions or comments, and what the next steps are to pursue approval of the recommended revised tank sizes. Hard copies will be placed in the mail.

Thank you,

Kevin

Kevin Clarke, P.E. | Portfolio Manager | NYC Environmental Protection | (O) 718 595 5995 | (C) 347-461-7400 | [kclarke@dep.nyc.gov](mailto:kclarke@dep.nyc.gov)